L Number	Hits	Search Text	DB	Time stamp
1	778	built adj in adj self adj test$	USPAT; US-PGPUB	2003/10/27 12:42
2	361	(built adj in adj self adj test$) and serial	USPAT; US-PGPUB	2003/10/27 12:43
3	292	((built adj in adj self adj test$) and serial) and pattern	USPAT; US-PGPUB	2003/10/27 12:44
4	236	(((built adj in adj self adj test$) and serial) and pattern) and compar$	USPAT; US-PGPUB	2003/10/27 12:47
5	28991	serial with (bit or bitstream)	USPAT; US-PGPUB	2003/10/27 12:47
6	52980	pattern with compar$	USPAT; US-PGPUB	2003/10/27 12:47
7	30	(built adj in adj self adj test$) and (serial with (bit or bitstream)) and (pattern with compar$)	USPAT; US-PGPUB	2003/10/27 13:13
8	1056	714/30, 39.ccls.	USPAT; US-PGPUB	2003/10/27 13:36
9	21	(built adj in adj self adj test$) and (serial with (bit or bitstream)) and (714/30, 39.ccls.)	USPAT; US-PGPUB	2003/10/27 13:14
10	129	(714/30, 39.ccls.) and (pattern with compar$)	USPAT; US-PGPUB	2003/10/27 13:36
11	126	((714/30, 39.ccls.) and (pattern with compar$)) not (((built adj in adj self adj test$) and (serial with (bit or bitstream)) and (pattern with compar$)) or ((built adj in adj self adj test$) and (serial with (bit or bitstream)) and (714/30, 39.ccls.)))	USPAT; US-PGPUB	2003/10/27 13:36
12	56	(((714/30, 39.ccls.) and (pattern with compar$)) not (((built adj in adj self adj test$) and (serial with (bit or bitstream)) and (pattern with compar$)) or ((built adj in adj self adj test$) and (serial with (bit or bitstream)) and (714/30, 39.ccls.)))) and serial	USPAT; US-PGPUB	2003/10/27 13:37

	Type	Hits	Search Text
1	BRS	123	375/368.ccls. and test$3
2	BRS	70	(375/368.ccls. and test$3) and serial and bi
3	BRS	0	((375/368.ccls. and test$3) and serial and bit) and 375/224.ccls.
4	BRS	86142	select$4 with bit
5	BRS	929753	test$3
6	BRS	29358	(select$4 with bit) and test$3
7	BRS	12869	((select$4 with bit) and test$3) and serial
8	BRS	61	(((select$4 with bit) and test$3) and serial) and (375/224.ccls. or 375/368.ccls.)
9	BRS	5598	serial adj (bit or bitstream)
10	BRS	2931	(select$4 with bit) and (serial adj (bit or bitstream))
11	BRS	3	((select$4 with bit) and (serial adj (bit or bitstream))) and 375/224.ccls.
12	BRS	9	"620891"
13	BRS	4	"6201829"
14	BRS	5598	serial adj (bit or bitstream)
15	BRS	85431	select$3 with bit
16	BRS	2891	(serial adj (bit or bitstream)) and (select$3 with bit)
17	BRS	14	((serial adj (bit or bitstream)) and (select$3 with bit)) and 375/224-228.ccls.
18	BRS	1987	((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)
19	BRS	618	(((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)) and (375/$.ccls. or
20	BRS	262	(((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)) and (375/$.ccls.)
21	BRS	11	(((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)) and (370/252.ccls.)

	Type	Hits	Search Text
22	BRS	11	(((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)) and (370/514.ccls.)
23	BRS	4	"5903619"
24	BRS	23	(((serial adj (bit or bitstream)) and (select$3 with bit)) and (test$3 or monitor$3)) and 375/368.ccls.